

# MDF-25V528 -25°C Biomedical Freezer



**MDF-25V528** Medical Deep Freezer (-10°C ~ -25°C) is widely used in hospitals, blood stations and laboratories. The product has double chamber, double display, double control system, two sets of individual compressor and refrigeration system. Both chambers can be independently adjustable in temperature.

## FEATURES



**Imported brand compressors**  
Double cooling system, double chamber



**Fast pull down**  
Rapid cooling from +25°C to -25°C



**Coil evaporator**  
Better performance, easy maintenance



**USB interface**  
10-year data for downloading



**Lockable doors**  
Standard locks & padlocks



**Large LED displays**  
Easy to observe and operate, built-in USB



**Precise temp. control**  
Temp. control accurate to 0.1°C




**6 types of alarm**  
Audible and visual alarms




**Variable space**  
Adjustable shelves and drawers





**Eco-friendly**  
CFC-free refrigerant and energy-saving



MDF-25V528 Pull down at ambient temp. 25°C



# STRUCTURE



# PARAMETER

Performance		Refrigeration System		Alarms	
Cooling method	Direct cooling	Compressor brand/QTY	CUBIGEL/2	High/low temperature	Y
Defrost	Manual	Condenser	Copper tube	Power failure	Y
Refrigerant	R290	Temp. controller	Microprocessor	Sensor error	Y
Temperature range	-20°C~40°C	Sensor	NTC	Controller failure	Y
Ambient temperature	10~32°C	Display	Digital display	Door ajar	Y
Electrical Data		Dimensions		Other	
Voltage frequency(	220/50Hz	Capacity (L/cu.ft)	528/18.64	Remote alarm port	Y
Power (W)	340W	Exterior	910*845*1875	Remote alarm port	Y
Current (A)	3.4 A	Interior	(651*631.5*635)*2	Access port QTY/Dia.	2/25MM